General **Specifications** mifffy 9 •





Characteristics	Mirage Classic	
	Imagine Collection 4	
Description	Solid prefinished hardwood flooring with tongues and grooves Micro-V bevel (on 4 sides) Textured	
Thickness	3/4" (19 mm)	
Length	• Random lengths (from 10" (250 mm) to 76" (1,930 mm))	
Width	3-1/4" (83 mm)	4-1/4" (108 mm)
Species	2 species: Red Oak Character, Maple Character	
Grade	Character-looking floors: These floors are appreciated for their pronounced color variation. They feature open and closed knots, mineral streaks, cracks, surface holes, and other character or milling marks. Some distinctive marks may become prominent over time due to changes in the environment.	
Color choice (refer to 2017 Mirage Collections)	7 colors (Red Oak): Papyrus, Driftwood, Rock Cliff, Sandstone, Seashell, Barn Wood, Fossil 4 colors (Maple): Papyrus, Driftwood, Rock Cliff, Sandstone	
Finish	 Nanolinx™ HD: Finishing system made of aluminum oxide and nanosilica particle composites suspended in UV cured polyurethane. Cashmere^{®*} (18% gloss) DuraMatt™: Finishing system made of aluminum oxide and nanosilica particle composites suspended in UV cured polyurethane. 	
	UV Protection: All products	
	Static Friction Coefficient (ASTM-D-2047): Slippery resistance of 0.5 to	
Applicable standards	Surface Burning (ASTM-E-84): FSI (Flame Spread Index) 100 to 150 Classe C (depends on wood species) SD (Smoke Development) 75 to 400 (depends on wood species)	Surface Burning (ULC-S-102-2): • FSV (Flame Spread Value) 100 to 150 (depends on wood species) • SD (Smoke Development) 200 to 300 (depends on wood species)
	Critical radiant flux (ASTM-E-648-94a): 0.25 to 0.40 watt/cm² (depends on wood species)	R value: R 0.6 to 0.8 (depends on wood species)
	Formaldehyde and VOC emissions (CDPH 1.1, 2010): Target product group (Classic) conform	
Installation	Nailed or stapled down (above and on grade)	
Subfloor	Wood	
Provenance	Made in St-Georges, Qc, Canada.	
Use	Residential or light commercial	
Accessory	Textured square stair nosing, Round reducer, Multifunction reducer, Threshold, "T" molding, Quarter round	
Warranty	Structural lifetime limited warranty 35-year finish warranty for residential applications	3-year finish warranty for light commercial applications
Packaging	3-1/4" (83 mm)	4-1/4" (108 mm)
Content of a box Size of a box Weight of a box Content of a pallet Size of a pallet	20 ft² (1.858 m²) 79" L x 10-1/2" W x 3-1/4" H 49 to 60 lbs 48 boxes = 960 ft² (4 boxes/W x 12 boxes/H) 79" L x 42" W x 43" H	18 ft² (1.672 m²) 85-1/2" L x 9" W x 3-1/4" H 45 to 55 lbs 48 boxes = 864 ft² (4 boxes/W x 12 boxes/H) 85-1/2" L x 38" W x 43" H
Relative species hardness		
NWFA Janka Test Hardness test (ASTM-D-143)	Red Oak	
Red Oak 1290 lbs* - 100% *lbs = Applied force in pounds		

 $^{^{\}star}$ Cashmere is a registered trademark used under license.

Toll free: 1 800 463-1303