

#### What is LEED®?

Leadership in Energy and Environmental Design (LEED) is a consensus-based program developed by the U.S. Green Building Council to define and document a standard that improves environmental and economic performance of commercial buildings using established and/or advanced industry principles, practices, materials and standards. It is a voluntary performance-oriented system where points are earned for satisfying the criteria.

To earn certification, a building project must meet certain prequisites and performance benchmarks ("credits") within each category. Although USGBC does not certify, promote, or endorse products of individual companies, products do play a role and can help projects with point achievement.

The choice of Mirage Floors can help contribute to fulfilling the requirements of each credit.

#### Mirage, a commitment to Sustainable Building

From the very beginning, Mirage's corporate values and strategies have been geared toward sustainable development, even though the term itself was still largely unknown. Mirage is worried about the planet and its riches, want to contribute to community's economic development, and is more concerned than ever with securing the best possible quality of life for fellow citizens today and tomorrow.









### LEED<sup>®</sup> Canada-NC 2009

**The LEED Canada-NC 2009** rating system applies to new construction and major renovations of commercial and institutional buildings, i.e., buildings regulated by Part 3 of the National Building Code. It also applies to retail, mid- and high-rise multi-unit residential buildings (MURBs), public assembly buildings, manufacturing plants, and other types of buildings.

LEED <sup>®</sup> Canada-NC 2009 Rating System							
	Categories	Prerequisites	Credits	Points			
SS	Sustainable Sites	1	8	26			
WE	Water Efficiency	1	3	10			
EA	Energy & Atmosphere	3	6	35			
MR	Materials & Resources	1	7	14			
IEQ	Indoor Environmental Quality	2	8	15			
ID	Innovation and Design Process	0	2	6			
RP	Regional Priority	0	2	4			
	Total	8	36	110			

	LEED <sup>®</sup> Canada-NC 2009	Mirage Engineered
	Categories	Potential Contribution
SS	Sustainable Sites	0 points
WE	Water Efficiency	0 points
EA	Energy & Atmosphere	0 points
MR	Materials & Resources	3 points
IEQ	Indoor Environmental Quality	3 points
ID	Innovation and Design Process	3 points
RP	Regional Priority	3 points
	Total	Up to 12 points





**m i //g g e** www.**mirage-pro.com** - 1-800-463-1303



#### Mirage Engineered Floors Contribution to LEED<sup>®</sup> Canada-NC 2009

Credit	Sustainable Strategies	Potential Points	Credit Relevance	Credits Requirements	Mirage Engineered Floors Contribution
MR 5	Regional Materials	1-2	Direct	Use building materials or products that have been extracted, harvested, recovered and processed within 500 miles (800 km) (2,400 km if shipped by rail or water) of the final manufacturing site. Demonstrate that the final manufacturing site is within 500 miles (800 km) (2,400 km if shipped by rail or water) of the project site for these products. If only a fraction of a product or material is extracted, harvested, recovered, processed and manufactured locally, then only that percentage (by weight) must contribute to the regional value. Minimum percentage required is 20% (1 point) or 30% (2 points).	Depending on <b>Mirage's</b> providers and the proj- ect's location, <b>Mirage Engineered Floors could</b> <b>contribute</b> if the components used satisfy the regional requirements of the credit (particularly for Eastern Canada provinces). <b>Mirage's manufacturers are located in</b> <b>Saint-Georges,</b> Quebec. The harvesting site of the materials needs to be confirmed for each project, according to <b>Mirage's</b> providers.









### LEED<sup>®</sup> Canada-NC 2009

#### Mirage Engineered Floors Contribution to LEED® Canada-NC 2009

Credits	Sustainable Strategies	Potential Points	Credit Relevance	Credits Requirements	Mirage Engineered Floors Contribution
MR 7	Certified Wood	1	Direct	Use a minimum of 50% (based on cost) of wood- based materials and products that are certified in accordance with the <b>Forest Stewardship</b> <b>Council's (FSC)</b> Principles and Criteria, for wood building components. These components include at a minimum struc- tural framing and general dimensional framing, flooring, sub-flooring, wood doors and finishes.	Mirage EngineeredcFloors can be FSC mix when available and are complying with the requirements of this credit. FSC Certificate No: SW-COC-002199 Percentage of certified wood in the Mirage Engineered Floors is 100% FSC mix.
IEQ 3.2	Construction IAQ Management Plan: Before Occupancy	1	Indirect	Develop an IAQ management plan and imple- ment it after all finishes have been installed and the building has been completely cleaned before occupancy : - Option 1: Flush out - Option 2: Air testing	Mirage Engineered will be beneficial in meeting the LEED credit IEQ 3.2 air testing requirements as they <b>have met the testing</b> and product requirements of the: California Department of Public Health CDPH/EHLB/Version 1.1, 2010 (Emission testing method for C.A. Specification 01350. <b>Certificate number: 150224-02.</b>









### Mirage Engineered Floors Contribution to LEED® Canada-NC 2009

Credits	Sustainable Strategies	Potential Points	Credit Relevance	Credits Requirements	Mirage Engineered Floors Contribution
IEQ 4.1	Low-Emitting Materials : Adhesives and Sealants	Not applicable	Direct	All adhesives, sealants and sealant primers used on the interior of the building (i.e., inboard side of the weatherproofing system and applied on-site) must comply with <b>South Coast Air Quality</b> <b>Management District (SCAQMD) Rule No.</b> <b>1168</b> Volatile Organic Compound (VOC) limits. Wood flooring adhesives VOC limit is100 g/L, since January 2005.	All adhesives used for <b>Mirage Engineered Floors</b> are complying with the VOC content <b>limits of</b> <b>South Coast Air Quality Management District</b> <b>(SCAQMD) Rule No. 1168</b> (less than 100 g/L, January 2005). VOC are <b>0 g/L</b> .
					However, adhesives for <b>Mirage</b> 's products are applied at the plant and not on site. They are therefore excluded from this credit's requirements.
					Moreover, <b>Mirage</b> is considering the same VOC limits for adhesives even if they are applied at the plant, reducing the emissions inside of project buildings, another good practice of <b>Mirage</b> .
IEQ 4.2	Low-Emitting Materials: Paints and Coatings	. NOt	Direct	Paints and coatings used on the interior of the building (i.e., inboard side of the weatherproof- ing system an applied on-site) must comply with the following criteria as applicable to the project scope:	All sealers and clear wood finishes used for <b>Mirage Engineered Floors</b> are complying with the VOC content limits of South Coast Air Quality Management District (SCAQMD) <b>Rule No. 1113</b> (275 g/L, July 2007). VOC are between <b>0.2 and</b> <b>6.1 g/L</b> .
				Clear wood finishes, floor coatings, stains, primers, and shellacs applied to interior ele- ments must not exceed the VOC content limits established in <b>South Coast Management</b> <b>District (SCAMD) Rule 1113, Architectural</b> <b>Coatings</b> , rules in effect on January 1 2004.	However, sealers and finishes for <b>Mirage's</b> products are applied at the plant and not on site. They are therefore excluded from this credit's requirements. Moreover, <b>Mirage</b> is considering the same VOC limits for sealers and finishes even if they are applied at the plant, reducing the emissions inside of project buildings, another good practice of <b>Mirage</b> .









### Mirage Engineered Floors Contribution to LEED<sup>®</sup> Canada-NC 2009

Credits	Sustainable Strategies	Potential Points	Credit Relevance	Credits Requirements	Mirage Engineered Floors Contribution
IEQ 4.3	Low-Emitting Materials: Flooring systems	1	Direct	All flooring must comply to one or the other following options: <b>Option 1:</b> All hard surface flooring covered by the FloorScore standard must be certified as compliant with the standard (current as of the date of this rating system, or more stringent version) by an independent third-party. All adhesives and sealants must comply with the Volatile organic compounds (VOC) limits of the South Coast Air Quality Management District <b>(SCAQMD) Rule #1168.</b> <b>Option 2:</b> All flooring products installed in the building interior must meet the testing and product requirements of the California Department of Public Health Standard Practice for The Testing of Volatile Organic Emissions from Various Sources Using Small-Scale Environmental Chambers, including 2004 Addenda.	<ul> <li>Mirage Engineered Floors do not contribute to Option 1 requirements for this credit since they are not FloorScore certified and have not been tested.</li> <li>Mirage Engineered Floors are compliant to Option 2 for this credit in relation to VOC emissions testing in accordance with California Department of Public Health CDPH/EHLB/Version 1.1, 2010 (Emission testing method for CA Specification 01350. Certification: 150224-02</li> </ul>
IEQ 4.4	Low-Emitting Materials: Composite Wood and Agrifiber Products	1	Direct	Composite wood and agrifibre products used on the interior of the building (i.e., inboard side of the weatherproofing system and applied on-site) shall contain <b>no added urea-formaldehyde</b> <b>resins</b> . Laminating adhesives used to fabricate on-site and shop-applied composite wood and agrifibre assemblies must not contain added urea-formaldehyde resins.	<b>Mirage Engineered Floors</b> can contribute to this credit: the plywood used contains a compliant phenol-formaldehyde resin. Moreover, the <b>adhesives</b> used <b>contain no</b> <b>added urea-formaldehyde</b> .





mi*r g*e



### Mirage Engineered Floors Contribution to LEED<sup>®</sup> Canada-NC 2009

Credits	Sustainable Strategies	Potential Points	Credit Relevance	Credits Requirements	Mirage Engineered Floors Contribution
ID 1	Innovation in Design Path 2	1-3	Direct	An exemplary performance point can be awarded to projects: - attaining <b>40% of Regional Material</b> for <b>MR 5</b> credit. - attaining <b>95%</b> of FSC certified wood for the	<b>Mirage Engineered Floors</b> can contribute to achieve a <b>40%</b> regional material exemplary performance, depending on <b>Mirage's</b> providers and the projects location.
					<b>Mirage EngineeredcFloors can be FSC mix</b> when available and are complying with the requirements of this credit.
				MR 7 credit.	FSC Certificate No: SW-COC-002199
					Percentage of certified wood in the <b>Mirage</b> Engineered Floors is 100% FSC mix.
RP 2	Regional Priority	1-3	Direct/Indirect	Up to 3 points for Regional Priority Credit 2 may be proposed for LEED Canada for New Construction and Major Renovations 2009 and Core and Shell Development 2009. The Regional Priority credit is in- tended to allow adding point emphasis to recognize one <b>OR</b> more issues that have additional regional environmental importance. To achieve a Regional Priority credit, the applicant	Please refer to the Advantages and Aspects to Consider section of the Regional Priority credit. For a list of applicable credits, please refer to the CaGBC website <u>www.cagbc.org</u> , under the LEED <sup>®</sup> tools section for the LEED <sup>®</sup> NC 2009 and
				must identify LEED credits which have additional regional environmental importance. A project must achieve the base credit and then propose that credit as a Regional Priority credit.	LEED <sup>®</sup> CS 2009 evaluation systems.
Total 12				Mirage Engineered Floors can contribute to a to for a LEED <sup>®</sup> Canada-NC 2	





