mirage

Hardwood Floors

ENVIRONMENTAL DATA SHEET



TRUBALANCE (3 LAYER STRUCTURED WOOD CORE)

Real hardwood boards with SPF guarter sawn core and wood backing.

VALIDATED ECO-DECLARATION

PRODUCT SPECIFICATIONS

Reference 3 layer structured wood core (TruBalance)

Final manufacturing location

Saint-Georges, QC G5Y 8J5 or Toronto, ON M8Z 1K8, CANADA

Components SPF core, hardwood lamella, veneer, adhesives and finishes.

ATTRIBUTES

Recycled Content Pre-consumer: 0% Post-consumer: 0%

Sourcing of raw materials

The source of extraction and/or location of raw materials has been documented for 89.2% of final product weight.

Certified Wood	PEFC 54327
Rapidly renewable materials	-
Biobased materials	-

ENVIRONMENTAL IMPACTS

Life Cycle Assessment

Reference service life

Product's carbon footprint

En ion IS

INGREDIENTS AND EMISSIONS

Declaration of c ingredients	hemical	1,000 ppm
Type of declarat ⊢	lealth Pro	HPD® version 2.2 oduct Declaration® il 2021 - April 2024
Emission tests	Comply	ing with the CDPH

VOCs	CDPH	test results ≤ 0.5 mg/m³
Formaldehyde ug/m ³		CDPH test results ≤ 9.0

Others

©Copyright 2016 Vertima inc.

TECHNICAL PERFORMANCES

Performance tests

Relevant performances tests list. Fire reaction available on request.

MANUFACTURER'S **ENVIRONMENTAL MANAGEMENT**

ISO 14001 Certification

Extended Producer Responsibility (Take Back Program)

Corporate Sustainability Report (CSR : GRI, ISO 26000, BNQ 21000 or others)

CERTIFICATIONS AND CONFORMITIES



Master Format®: 09 64 00 Validated Eco-Declaration: VED17-0501-04 Original issue date: 12/2017 Period of validity: 08/2021 to 08/2022



1255, 98th Street, Saint-Georges, QC G5Y 8J5 CANADA www.miragefloors.com

nvironmental	Product	Declarat
SO 14025:2006	5	

Designed and manufactured in North America, Mirage Floors are synonymous with

ENVIRONMENTAL DATA SHEET 3 LAYER STRUCTURED WOOD CORE (TRUBALANCE)





Characteristics

- Boards with uniform thicknesses and widths
- Micro-V joint on all four sides of the board
- Radiant heat approved for most species

ATTRIBUTES

RECYCLED CONTENT

Final product	Weight ratio	Pre-consumer	Post-consumer
3 layer structured wood core (TruBalance)	100%	0%	0%

Validated Eco-Declaration – Recycled Content

Methodology: on-site audit, supply chain evaluation, analysis and validation of the recycled content data according to the weight ratio of each of the components used in manufacturing the final product.

Vertima's procedure: VERT-032008-01, Second Edition.

SOURCING OF RAW MATERIALS

Weight ratio	Final manufacturing location
100%	Saint-Georges, QC G5Y 8J5 CANADA or Toronto, ON M8Z 1K8 CANADA

Validated Eco-Declaration - Sourcing of raw materials

Methodology: on-site audit, supply chain evaluation, analysis and validation of the sourcing of raw materials data according to the weight ratio of each of the components used in manufacturing the final product.

Vertima's procedure: VERT-032008-02, Second Edition.

Component	Weight ratio	Extraction location	Transportation
SPF core	63.2% - 65.1%	Canada and United States	Road
Hardwood lamella	26.0% - 26.1%	Canada and United States	Road
Veneer	7.0% - 8.8%	Various locations	Road and boat
Adhesives	<1.0%	N/A	N/A
Finishes	<1.0%	N/A	N/A

The source of extraction and/or location of raw materials has been documented for 98.0% of final product weight.

The data included in this Environmental Data Sheet has been provided by the client and the suppliers, who are responsible for its veracity and its integrity. Vertima follows a rigorous protocol, including an on-site audit of the factory, an audit of the manufacturer's supply chain documentation, and the analysis and validation of all supporting documents. However, Vertima cannot be held responsible for false or misleading information that may cause any loss or damage suffered, caused in all or in part, by errors and/or omissions relative to the collection, compilation and/or interpretation of data. Copyright[®] 2016 by Vertima Inc.




ENVIRONMENTAL DATA SHEET

3 LAYER STRUCTURED WOOD CORE (TRUBALANCE)

ATTRIBUTES (CONTINUED)

SOURCING OF RAW MATERIALS (CONTINUED)





1. WOOD HARVEST LOCATION - SPF core & Hardwood lamella (Details available upon request)

Canada: Quebec, New Brunswick, Ontario.

United States: Arkansas, Connecticut, Delaware, Illinois, Indiana, Iowa, Kentucky, Maine, Maryland, Massachusetts, Michigan, Missouri, New Hampshire, New Jersey, New York, North Carolina, Ohio, Pennsylvania, Rhode Island, South Carolina, Tennessee, Vermont, Virginia, West Virginia, Wisconsin.

2. VENEER HARVEST LOCATION (Details available upon request)

The data included in this Environmental Data Sheet has been provided by the client and the suppliers, who are responsible for its veracity and its integrity. Vertima follows a rigorous protocol, including an on-site audit of the factory, an audit of the manufacturer's supply chain documentation, and the analysis and validation of all supporting documents. However, Vertima cannot be held responsible for false or misleading information that may cause any loss or damage suffered, caused in all or in part, by errors and/or omissions relative to the collection, compilation and/or interpretation of data. Copyright[®] 2016 by Vertima Inc. Validated Eco-Declaration: VED17-0501-04 Period of validity: 08/2021 to 08/2022



ENVIRONMENTAL DATA SHEET

3 LAYER STRUCTURED WOOD CORE (TRUBALANCE)

ATTRIBUTES (CONTINUED)

CERTIFIED WOOD

When specified, PEFC certified 3 layer structured wood core (TruBalance) could be available. (Contact Mirage for availability)

		Certification agency	Product covered	
	Bureau	u de normalisation du Qué	Wooden floor	
PEFC/26-31-118 Promoting Sustainable	Certified site	Certification number Traceability metho		Period of validity
Forest Management www.pefc.org	BOA-FRANC INC. St-Georges, QC CANADA	54327	Credit system	12/21/2017 to 12/20/2022

Validated Eco-Declaration – Certified Wood

Methodology: on-site audit, supply chain evaluation and validation of certified wood documents confirming the type of certification. Vertima's procedure: VERT-032008-03, Second Edition.

TECHNICAL PERFORMANCES

PERFORMANCE TESTS

Contact manufacturer for more details.

WARRANTY

See product detailed description.

MANUFACTURER'S ENVIRONMENTAL MANAGEMENT PROGRAM

RESPONSIBLE RAW MATERIALS PROCUREMENT REPORT

Report name	Date	Lacev Act
Controlled Wood Risk Evaluation	Updated annually	Lacey Act Compliant

Validated Eco-Declaration - Supply Chain Management Report Methodology: validation of documents attesting the supply chain management report. Vertima's procedure: VERT-032009-04, First Edition.

The data included in this Environmental Data Sheet has been provided by the client and the suppliers, who are responsible for its veracity and its integrity. Vertima follows a rigorous protocol, including an on-site audit of the factory, an audit of the manufacturer's supply chain documentation, and the analysis and validation of all supporting documents. However, Vertima cannot be held responsible for false or misleading information that may cause any loss or damage suffered, caused in all or in part, by errors and/or omissions relative to the collection, compilation and/or interpretation of data. Copyright[®] 2016 by Vertima Inc. Validated Eco-Declaration: VED17-0501-04 Period of validity: 08/2021 to 08/2022





ENVIRONMENTAL DATA SHEET 3 LAYER STRUCTURED WOOD CORE (TRUBALANCE)

INGREDIENTS AND EMISSIONS

DECLARATION OF CHEMICAL INGREDIENTS



Type of declaration: Health Product Declaration[®] (HPD[®]) version 2.2 Period of validity: April 2021- April 2024

HPD name: 3 layer structured wood core - St-Georges

Summary of product contents and results from screening individual chemical substances against HPD Priority Lists¹ and the GreenScreen for Safer Chemicals^{®,2}.

HPDC repository URL:

https://hpdrepository.hpd-collaborative.org/repository/HPDThumbnails/32180CEF756C08F65B09076328A64E85.jpg

The presented results are specific to 3 layer wood core prefinished at St-Georges plant. For more details about the HPD® related to 3 layer wood core prefinished at Toronto plant and entitled "3 layer wood core - Toronto", please consult the HPD Public repository.

The Health Product Declaration® and logo is owned by the Health Product Declaration® Collaborative and is used with permission.

Declaration: Prepared by Vertima inc., third party approved by HPDC Ingredients inventory threshold: 1,000 ppm Full disclosure of intentional ingredients: Yes Full disclosure of known hazards: Yes

Hazard(s) associated with the product ingredients: (Not associated with actual use of finished product)

This HPD Standard describes a declaration of product content and direct health hazards associated with exposure to its individual contents. The Declaration is not an assessment of risks associated with actual use of the product. It does not address the potential health impacts of substances used or created during manufacture that do not appear in the final product as residuals, nor substances created during combustion or other degradation processes.

Highest concern GreenScreen® Benchmark: Benchmark 13

PBT (Persistent, Bioaccumulative, Toxic)	Respiratory	Physical hazard
Cancer	Neurotoxicity	🗌 Global warming
Gene mutation	Mammal	Ozone depletion
Development	Land toxicity	Multiple
Reproductive	Aquatic toxicity	🗌 Unknown
	Skin or eye	

Refer to Annex D® Open Standard Version 2.2: http://www.hpd-collaborative.org 2GreenScreen for Safer Chemicals® method: http://www.greenscreenchemicals.org/

³GreenScreen (GS) Benchmark scores of chemical ingredients: Benchmark 1 (Avoid, chemical of high concern), Benchmark 2 (Use but search for safer substitutes), Benchmark 3 (Use but still opportunity for improvement), Benchmark 4 (Prefer, safer chemical).

TABLE OF INGREDIENTS

Component	Role	Weight ratio	CAS ¹	GreenScreen ^{®,2}	Other applicable score (for more details refer to the HPD®)
SPF core	Main element	62.9% - 67.5%	-		-
Hardwood lamella	Main element	23.7% - 26.7%	-		-
Veneer	Main element	7.0% - 9.2%	-	-	-
Finishes	Finishes	<1.0%	7631-86-9	BM-1	LT-1, LT-P1, LT-UNK, BM-2 and BM-4 scores also present
Adhesives	Assembly	<1.0%	26172-55-4	LT-P1	BM4, LT-UNK and LT-P1 scores also present
Stain	Color the wood	0.5%	1333-86-4	BM-1	LT-1, LT-P1, LT-UNK and BM-2 scores also present
Wood Filler	Wood Filler	0.0% - 0.3%	80-05-7	BM-1	LT-1, LT-P1, LT-UNK and BM-2 scores also present

¹Only the CAS numbers with the score of highest concern are listed. The complete list of substances can be found in the HPD®

²GS List Translator (LT) scores of chemical ingredients: LT-1, likely GS Benchmark 1; LT-P1, possible GS Benchmark 1; LT-U or LT-UNK, present on GS Specified Lists but there is insufficient information to classify the hazards as LT-1 or LT-P1 (does not mean the chemical is safe).

Validated Eco-Declaration – Declaration of chemical ingredients

Methodology: validation of the documentation confirming the methodology and reporting of chemical ingredients.

Vertima's procedure: VERT-032009-01, Second Edition.

The data included in this Environmental Data Sheet has been provided by the client and the suppliers, who are responsible for its veracity and its integrity. Vertima follows a rigorous protocol, including an on-site audit of the factory, an audit of the manufacturer's supply chain documentation, and the analysis and validation of all supporting documents. However, Vertima cannot be held responsible for false or misleading information that may cause any loss or damage suffered, caused in all or in part, by errors and/or omissions relative to the collection, compilation and/or interpretation of data Copyright[®] 2016 by Vertima Inc.



m i /r//a/ c

Hardwood Floors

3 LAYER STRUCTURED WOOD CORE (TRUBALANCE)

INGREDIENTS AND EMISSIONS

DECLARATION OF CHEMICAL INGREDIENTS (SUITE)

TABLE OF INGREDIENTS

Component	Role	Weight ratio	CAS ¹	GreenScreen®,2	Other applicable score (for more details refer to the HPD [®])
SPF core	Main element	62.9% - 67.5%	-	-	
Hardwood lamella	Main element	23.7% - 26.7%	-	-	
Veneer	Main element	7.0% - 9.2%	-	-	
Finishes	Finishes	<1.0%	7631-86-9	BM-1	LT-1, LT-P1, LT-UNK, BM-2 and BM-4 scores also present
Adhesives	Assembly	<1.0%	26172-55-4	LT-P1	BM4, LT-UNK and LT-P1 scores also present
Stain	Color the wood	0.5%	1333-86-4	BM-1	LT-1, LT-P1, LT-UNK and BM-2 scores also present
Wood Filler	Wood Filler	0.0% - 0.3%	80-05-7	BM-1	LT-1, LT-P1, LT-UNK and BM-2 scores also present

¹Only the CAS numbers with the score of highest concern are listed. The complete list of substances can be found in the HPD[®]. ²GS List Translator (LT) scores of chemical ingredients: LT-1, likely GS Benchmark 1; LT-P1, possible GS Benchmark 1; LT-U or LT-UNK, present on GS Specified Lists but there is insufficient information to classify the hazards as LT-1 or LT-P1 (does not mean the chemical is safe).

Validated Eco-Declaration - Declaration of chemical ingredients

Methodology: validation of the documentation confirming the methodology and reporting of chemical ingredients.

Vertima's procedure: VERT-032009-01, Second Edition.



INGREDIENTS AND EMISSIONS (CONTINUED)

EMISSION TESTS

Reference Standard



California Department of Public Health CDPH/EHLB/Standard Method Version 1.1, 2010 (Emission testing method for CA Specification 01350) Certificate number: 160914-01 Issue Date: September 14, 2016 Final maunfacturing location: St-Georges, QC Analytical Lab: Berkeley Analytical

Acceptance Criteria and Results Demonstrating Compliance of Product Sample to Referenced Standard:

Exposure Scenario ¹	Individual VOCs of Concern ²		Formaldehyde ³		TVOC⁴
	Criterion	Compliant	Criterion	Compliant	Range
School Classroom	≤½ Chronic REL	Yes	≤9.0 µg/m³	Yes	≤0.5 mg/m³
Private Office	≤½ Chronic REL	Yes	≤9.0 µg/m³	Yes	≤0.5 mg/m³
Product Coverage5: Not applicable	able Source: Berkeley Analytical - VOC Emission Test Certificate				

Product Coverage5: Not applicable

Reference Standard



California Department of Public Health CDPH/EHLB/Standard Method Version 1.1, 2010 (Emission testing method for CA Specification 01350) Certificate number: 150505-02 Issue Date: May 5, 2015 Final maunfacturing location: Toronto, ON Analytical Lab: Berkeley Analytical ClearChem Declare

Acceptance Criteria and Results Demonstrating Compliance of Product Sample to Referenced Standard:

Exposure Scenario ¹	Individual VOCs of Concern ²		Formaldehyde ³		TVOC⁴
	Criterion	Compliant	Criterion	Compliant	Range
School Classroom	≤½ Chronic REL	Yes	≤9.0 µg/m³	Yes	≤0.5 mg/m³
Private Office	≤½ Chronic REL	Yes	≤9.0 µg/m³	Yes	≤0.5 mg/m³
Single Family Residence	≤½ Chronic REL	Yes	≤9.0 µg/m³	Yes	≤0.5 mg/m³

Product Coverage5: Not applicable

¹Exposure scenarios & product quantities for classroom & office are defined in Tables 4-2 – 4-5 (CDPH Std. Mtd. V1.1-2010). ²Maximum allowable concentrations of individual target VOCs are specified in Table 4-1 (ibid). ³Maximum allowable formaldehyde concentration is ≤9 μg/m³, effective Jan 1, 2012; previous limit was ≤16.5 μg/m³ (ibid). ⁴Informative only; predicted TVOC Range in three categories, i.e., ≤0.5 mg/m³, >0.5 – 4.9 mg/m³, and ≥5.0 mg/m³. ⁵Informative and applicable only to tests of wet-applied products; grams of sample applied per square meter of substrate.

Validated Eco-Declaration-Emissions testing Methodology: validation of documents certifying the test results. Vertima's procedure: VERT-032009-02, Second Edition.

The data included in this Environmental Data Sheet has been provided by the client and the suppliers, who are responsible for its veracity and its integrity. Vertima follows a rigorous protocol, including an on-site audit of the factory, an audit of the manufacturer's supply chain documentation, and the analysis and validation of all supporting documents. However, Vertima cannot be held responsible for false or misleading information that may cause any loss or damage suffered, caused in all or in part, by errors and/or omissions relative to the collection, compilation and/or interpretation of data Copyright[®] 2016 by Vertima Inc.

Source: Berkeley Analytical - VOC Emission Test Certificate







ENVIRONMENTAL DATA SHEET 3 LAYER STRUCTURED WOOD CORE (TRUBALANCE)

m i r/a g e Hardwood Floors

PRODUCT CONTRIBUTION SUMMARY

LEED[®] v4 requirements for Building Design + Construction (BD+C)

New Construction and Major Renovation, Core and Shell, School, Retail, Data Centers, Warehouse and Distribution Centers, Hospitality and Healthcare.

LEED[®] v4 requirements for Interior Design + Construction (ID+C) Commercial Interiors, Retail and Hospitality.

MATER	IALS AND RESOURCES	PRODUCT CONTRIBUTIONS				
MR	Building Product Disclosure and Optimization — Sourcing of Raw Materials Option 2: Leadership extraction practices (1 point)	Contribute (pilot-credits)	ATTRIBUTES PEFC Certification			
	See Pilot-Credits MRpc102: Legal Wood	(phot-credits)	(when specified)			
Building Product Disclosure and Optimization — Material Ingredients			INGREDIENTS AND EMISSIONS			
MR	Option 1: Material ingredients reporting (1 point) The 3 layer structured wood core (TruBalance) contributes to this credit due to the availability of Health Product Declarations [®] and is valued as 1 whole product out of the 20 needed for the purposes of credit achievement calculation.	tructured wood core (TruBalance) contributes to this credit railability of Health Product Declarations® and is valued as 1				
INDOOF	R ENVIRONMENTAL QUALITY	PRODUCT CONTRIBUTIONS				
	Low-Emitting Materials		INGREDIENTS AND EMISSIONS			
EQ	Option 1: Product category calculation (1-3 points) Number of points is dependent on the LEED rating system and the number of compliant categories. For the flooring category 100% of flooring must meet the requirements.	Contribute	The 3 layer structured wood core (TruBalance) has been tested according with the standard method of the California Department of Public Health (CDPH).			
LEED® v4 requirements for homes Applies to single family homes, multi-family (one to three stories), or multi-family (four to six stories). Includes homes and multifamily low-rise and multi-family mid-rise.						
MATER	IALS AND RESOURCES	PR	RODUCT CONTRIBUTIONS			
MR			ATTRIBUTES			
Prerequisite	Lefillen Ironical wood		To meet the prerequisite, don't select tropical species of Mirage.			
	Environmentally Preferable Products		ATTRIBUTES			
MR	Maximum of 4 points depending on both options in the context of each project. Option 2: Environmentally Preferable Products Wood products must be FSC®-Certified, or USGBC-approved equivalent. See Pilot-Credits MRpc102: Legal Wood The 3 layer structured wood core (TruBalance) meets at least 1 criterion for this option since the product is PEFC Certified when specified.	Contribute (pilot-credits)	PEFC Certification (when specified)			
INDOOR ENVIRONMENTAL QUALITY		PRODUCT CONTRIBUTIONS				
	Low-Emitting Products (0.5-3 points)		INGREDIENTS AND EMISSIONS			
EQ	At least 90% of all materials in each category must meet credit requirements.	Contribute	The 3 layer structured wood core (TruBalance) has been tested according with the standard method of the California Department of Public Health (CDPH).			

It is important to consider that the total amount of possible points reflects the number of achievable points in each credit category. The product itself cannot achieve this score, as defined above, but is considered as a beneficial element in order to obtain LEED[®] credits.

The data included in this Environmental Data Sheet has been provided by the client and the suppliers, who are responsible for its veracity and its integrity. Vertima follows a rigorous protocol, including an on-site audit of the factory, an audit of the manufacturer's supply chain documentation, and the analysis and validation of all supporting documents. However, Vertima cannot be held responsible for false or misleading information that may cause any loss or damage suffered, caused in all or in part, by errors and/or omissions relative to the collection, compilation and/or interpretation of data. Copyright[®] 2016 by Vertima Inc. Validated Eco-Declaration: VED17-0501-04 Period of validity: 08/2021 to 08/2022

