

Hardwood Floors



CLASSIC

(SOLID WOOD)

3/4" thick solid hardwood boards with tongue and groove and micro-V beveled on 4 sides.

VALIDATED ECO-DECLARATION

PRODUCT SPECIFICATIONS

Reference

Solid wood (Classic)

Final manufacturing location

Saint-Georges, QC G5Y 8J5 or Toronto, ON M8Z 1K8 CANADA

Components

Hardwood and finishes

ATTRIBUTES

Recycled Content

Pre-consumer: 0% Post-consumer: 0%

Sourcing of raw materials

The source of extraction and/or location of raw materials has been documented for 99.0% of final product weight.

Certification Wood

Rapidly renewable materials

Biobased materials

ENVIRONMENTAL IMPACTS

Life Cycle Assessment

Reference service life

Product's carbon footprint

Environmental Product Declaration

ISO 14025:2006

INGREDIENTS AND EMISSIONS

Declaration of chemical ingredients

1,000 ppm

Type of declaration HPD® version 2.2

Health Product Declaration® September 2021 - September 2024

Emission tests Complying with the CDPH

CDPH test results ≤ 0.5 mg/m³

Formaldehyde CDPH test results ≤ 9.0 ug/m³

Others

VOCs

TECHNICAL PERFORMANCES

Performance tests

Relevant performances tests list. Fire reaction available on request.

MANUFACTURER'S **ENVIRONMENTAL MANAGEMENT**

ISO 14001 Certification

Extended Producer Responsibility

(Take Back Program)

Corporate Sustainability Report

(CSR: GRI, ISO 26000, BNQ 21000 or others)

CERTIFICATIONS AND CONFORMITIES





©Copyright 2016 Vertima inc.

Designed and manufactured in North America, Mirage Floors are synonymous with superior quality, beauty, durability and guarantee product consistency, added value, and lifelong good looks. Mirage epitomizes attention to detail and the desire to create a product in perfect harmony with its environment. For more than 35 years, Mirage has been committed to operating in an environmentally responsible manner in order to ensure sustainable development for current and future generations.

MasterFormat®: 09 64 00 Validated Eco-Declaration: VED15-0501-02

Original issue date: 06/2009 Period of validity: 08/2021 to 08/2022



SOLID WOOD (CLASSIC)





Characteristics

- Boards with uniform thicknesses and widths
- Micro-V joint on all four sides of the board

ATTRIBUTES

RECYCLED CONTENT

Final product	Weight ratio	Pre-consumer	Post-consumer
Solid wood (Classic)	100%	0%	0%

Validated Eco-Declaration - Recycled Content

Methodology: on-site audit, supply chain evaluation, analysis and validation of the recycled content data according to the weight ratio of each of the components used in manufacturing the final product.

Vertima's procedure: VERT-032008-01, Second Edition.

SOURCING OF RAW MATERIALS

Weight ratio	Final manufacturing location
100%	Saint-Georges, QC G5Y 8J5 CANADA or Toronto, ON M8Z 1K8 CANADA

Validated Eco-Declaration - Sourcing of raw materials

Methodology: on-site audit, supply chain evaluation, analysis and validation of the sourcing of raw materials data according to the weight ratio of each of the components used in manufacturing the final product.

Vertima's procedure: VERT-032008-02, Second Edition.

Component	Weight ratio	Extraction location	Transportation
Hardwood	99.0%	Canada and United States	Road
Finishes	<1.0%	N/A	N/A

The source of extraction and/or location of raw materials has been documented for 99.0% of final product weight.




SOLID WOOD (CLASSIC)



ATTRIBUTES (CONTINUED)

SOURCING OF RAW MATERIALS (CONTINUED)



WOOD HARVEST LOCATION (Details available upon request)

Canada: Quebec, New Brunswick, Ontario.

United States: Arkansas, Connecticut, Delaware, Illinois, Indiana, Iowa, Kentucky, Maine, Maryland, Massachusetts, Michigan, Missouri, New Hampshire, New Jersey, New York, North Carolina, Ohio, Pennsylvania, Rhode Island, South Carolina, Tennessee, Vermont, Virginia, West Virginia, Wisconsin.



SOLID WOOD (CLASSIC)

Hardwood Floors

INGREDIENTS AND EMISSIONS

CERTIFIED WOOD

Hardwood is currenlty excluded in PEFC certificate, however contact Mirage for options regarding PEFC Certification.

DECLARATION OF CHEMICAL INGREDIENTS



Type of declaration: Health Product Declaration® (HPD®) version 2.2

Period of validity: September 2021 to September 2024

HPD name: Solid wood - St-Georges

Summary of product contents and results from screening individual chemical substances against HPD Priority Lists¹ and the GreenScreen for Safer Chemicals[®],2.

HPDC repository URL:

https://hpdrepository.hpd-collaborative.org/repository/HPDThumbnails/4BF8EC69B0A33C018F650DC7BC0AFECB.jpg

The presented results are specific to Solid wood prefinished at St-Georges plant. For more details about the HPD® related to Solid wood prefinished at Toronto plant and entitled "Solid wood - Toronto", please consult the HPD Public repository.

The Health Product Declaration® and logo is owned by the Health Product Declaration® Collaborative and is used with permission

Declaration: ■ Prepared by Vertima inc., third party approved by HPDC

Ingredients inventory threshold: 1,000 ppm Full disclosure of intentional ingredients: Yes Full disclosure of known hazards: Yes

Hazard(s) associated with the product ingredients: (Not associated with actual use of finished product)

This HPD Standard describes a declaration of product content and direct health hazards associated with exposure to its individual contents. The Declaration is not an assessment of risks associated with actual use of the product. It does not address the potential health impacts of substances used or created during manufacture that do not appear in the final product as residuals, nor substances created during combustion or other degradation processes

Highest concern GreenScreen® Benchmark: Benchmark 13

Respiratory	☐ Physical hazard
Neurotoxicity	☐ Global warming
	Ozone depletion
☐ Land toxicity	Multiple
Aquatic toxicity	☐ Unknown
Skin or eye	
	☐ Neurotoxicity ☐ Mammal ☐ Land toxicity ■ Aquatic toxicity

²GreenScreen for Safer Chemicals* method: http://www.greenscreenchemicals.org/ ³GreenScreen (GS) Benchmark scores of chemical ingredients: Benchmark 1 (Avoid, chemical of high concern), Benchmark 2 (Use but search for safer substitutes), Benchmark 3 (Use but still opportunity for improvement), Benchmark 4 (Prefer, safer chemical).

TABLE OF INGREDIENTS

Component	Role	Weight ratio	CAS ¹	GreenScreen®,2	Other applicable score (for more details refer to the HPD®)
Hardwood	Main material	99.3% - 99.7%	-	-	
Finishes	Finishes	0.1% - 1.0 %	14808-60-7, Undisclosed	BM-1	LT-1, LT-P1, LT-UNK and BM-2 scores also present
Wood Filler	Wood Filler	< 0.3%	1317-65-3	BM-3dg	LT-UNK score also present
Stain	Color the wood	< 0.5%	1333-86-4	BM-1	LT-1, LT-P1 and LT-UNK scores also present

10nly the CAS numbers with the score of highest concern are listed. The complete list of substances can be found in the HPD®

2GS List Translator (LT) scores of chemical ingredients: LT-1, likely GS Benchmark 1; LT-P1, possible GS Benchmark 1; LT-U or LT-UNK, present on GS Specified Lists but there is insufficient information to classify the hazards as LT-1 or LT-P1 (does not mean the chemical is safe).

Validated Eco-Declaration - Declaration of chemical ingredients

Methodology: validation of the documentation confirming the methodology and reporting of chemical ingredients.

Vertima's procedure: VERT-032009-01, Second Edition.



SOLID WOOD (CLASSIC)



INGREDIENTS AND EMISSIONS (CONTINUED)

EMISSION TESTS

Reference Standard



California Department of Public Health CDPH/EHLB/Standard Method Version 1.1, 2010

(Emission testing method for CA Specification 01350)

Certificate number: 150224-01 **Issue Date:** February 24, 2015

Final maunfacturing location: St-Georges, QC

Analytical Lab: Berkeley Analytical



Acceptance Criteria and Results Demonstrating Compliance of Product Sample to Referenced Standard:

Exposure Scenario ¹	Individual VOC	Cs of Concern ²	Concern ² Formalde		TVOC⁴
	Criterion	Compliant	Criterion	Compliant	Range
School Classroom	≤½ Chronic REL	Yes	≤9.0 µg/m³	Yes	≤0.5 mg/m³
Private Office	≤½ Chronic REL	Yes	≤9.0 µg/m³	Yes	≤0.5 mg/m³
Single Family Residence (if applicable)	≤½ Chronic REL	Yes	≤9.0 µg/m³	Yes	≤0.5 mg/m³

Product Coverage⁵: Not applicable

Source: Berkeley Analytical - VOC Emission Test Certificate

Reference Standard



California Department of Public Health CDPH/EHLB/Standard Method Version 1.2, 2017

(Emission testing method for CA Specification 01350)

Certificate number: 171017-03 **Issue Date:** October 17, 2017

Final maunfacturing location: Toronto, ON

Analytical Lab: Berkeley Analytical



Acceptance Criteria and Results Demonstrating Compliance of Product Sample to Referenced Standard:

Exposure Scenario ¹	Individual VOC			dehyde³	TVOC⁴
	Criterion	Compliant	Criterion	Compliant	Range
School Classroom	≤½ Chronic REL	Yes	≤9.0 µg/m³	Yes	≤0.5 mg/m³
Private Office	≤½ Chronic REL	Yes	≤9.0 µg/m³	Yes	≤0.5 mg/m³

Product Coverage⁵: Not applicable

Source: Berkeley Analytical - VOC Emission Test Certificate

Exposure scenarios & product quantities for classroom & office are defined in Tables 4-2 - 4-5 (CDPH Std. Mtd. V1.1-2010 or V1.2-2017).

²Maximum allowable concentrations of individual target VOCs are specified in Table 4-1 (ibid).

³Maximum allowable formaldehyde concentration is ≤9 μg/m³, effective Jan 1, 2012; previous limit was ≤16.5 μg/m³ (ibid).

 4 Informative only; predicted TVOC Range in three categories, i.e., ≤ 0.5 mg/m 3 , > 0.5 - 4.9 mg/m 3 , and ≥ 5.0 mg/m 3 .

⁵Informative and applicable only to tests of wet-applied products; grams of sample applied per square meter of substrate.

Validated Eco-Declaration—Emissions testing Methodology validation of documents certifying

Methodology: validation of documents certifying the test results.

Vertima's procedure: VERT-032009-02, Second Edition.



SOLID WOOD (CLASSIC)



TECHNICAL PERFORMANCES

PERFORMANCE TESTS

Contact manufacturer for more details.

WARRANTY

See product detailed description.

MANUFACTURER'S ENVIRONMENTAL MANAGEMENT PROGRAM

RESPONSIBLE RAW MATERIALS PROCUREMENT REPORT

Report name	Date
Controlled Wood Risk Evaluation	Updated annually



Validated Eco-Declaration - Supply Chain Management Report Methodology: validation of documents attesting the supply chain management report. Vertima's procedure: VERT-032009-04, First Edition.

SOLID WOOD (CLASSIC)



PRODUCT CONTRIBUTION SUMMARY

LEED® v4 requirements for Building Design + Construction (BD+C)

New Construction, Core and Shell, School, Retail, Data Centers, Warehouse and Distribution Centers, Hospitality and Healthcare.

LEED® v4 requirements for Interior Design + Construction (ID+C)

Commercial Interiors, Retail and Hospitality.

MATERIALS AND RESOURCES		PRODUCT CONTRIBUTIONS		
Building Product Disclosure and Optimization — Material Ingredients			INGREDIENTS AND EMISSIONS	
MR	Option 1: Material ingredients Option 1: Material ingredients reporting (1 point) The Solid wood (Classic) contributes to this credit due to the availability of Health Product Declarations® and is valued as 1 whole product out of the 20 needed for the purposes of credit achievement calculation.	Contribute	HPD® version 2.2 Health Product Declaration®	
INDOOR ENVIRONMENTAL QUALITY		PRODUCT CONTRIBUTIONS		
	Low-Emitting Materials		INGREDIENTS AND EMISSIONS	
EQ	Option 1: Product category calculation (1-3 points) Number of points is dependent on the LEED rating system and the number of compliant categories. For the flooring category 100% of flooring must meet the requirements.	Contribute	The Solid wood (Classic) has been tested according with the standard method of the California Department of Public Health (CDPH).	

LEED® v4 requirements for homes

Applies to single family homes, multi-family (one to three stories), or multi-family (four to six stories). Includes homes and multifamily low-rise and multi-family mid-rise.

MATERIALS AND RESOURCES		PRODUCT CONTRIBUTIONS		
MD			ATTRIBUTES	
MR Prerequisite	Certified Tropical Wood	-	To meet the prerequisite, don't select tropical species of Mirage.	
INDOOR ENVIRONMENTAL QUALITY		PRODUCT CONTRIBUTIONS		
INDOOF	R ENVIRONMENTAL QUALITY	PF	RODUCT CONTRIBUTIONS	
INDOOF	R ENVIRONMENTAL QUALITY Low-Emitting Products (0.5-3 points)	PF	RODUCT CONTRIBUTIONS INGREDIENTS AND EMISSIONS	

It is important to consider that the total amount of possible points reflects the number of achievable points in each credit category. The product itself cannot achieve this score, as defined above, but is considered as a beneficial element in order to obtain LEED® credits.

