



Hardwood Floors

PRODUCT CHART


Effective: March 4, 2024

White Oak Brushed DuraMatt®		TruBalance Lite						Lock		Cashmere®*			Engineered	Classic		
		Character			Exclusive			Character	Exclusive				Character	Character		
		5"	7"	Herringbone 5"	5"	7"	Herringbone 5"	5"	5"				5"	3-1/4"	4-1/4"	
		9/16" thick			9/16" thick			7/16" thick	7/16" thick				1/2" thick	3/4" thick		
Colors		Lengths: 17 to 69"	Lengths: 20 to 82"	Fixed length 20"	Lengths: 17 to 69"	Lengths: 20 to 82"	Fixed length 20"	Lengths: 17 to 69"	Lengths: 17 to 69"	Colors Species Textures			Lengths: 20 to 82"	Lengths: 10 to 76"		
Muse	Ada	56685	56695	73639	71768	71760	73647	72070	72063	Escape	Carmel	Red Oak	Brushed	43366	44693	37494
	Amelia	56686	56696	73640	71767	71759	73648	72071	72064		Cold Springs			43367	44694	37497
	Eleanor	56687	56697	73641	71766	71758	73649	71306	72065		Galena			72091	72061	72060
	Grace	56688	56698	73642	71765	71757	73650	72072	72066		Laguna			43365	44695	40193
	Hattie	56689	56699	73643	71764	71756	73651	72073	72067		New Haven			43368	44696	37496
	Ingrid	56690	56700	73644	71763	71755	73652	72075	72068		Providence	43369	44697	37493		
	Maud	56693	56702	73645	71761	71753	73653	72074	72069		Destin	43370	40975	44700		
	Rachel	56691	56701	73646	71762	71754	73654	71895	72058		Park City	44699	44692	44702		

Oak Brushed DuraMatt® X		TruBalance Lite						Lock		Classic	
		Character			Exclusive			Character	Exclusive	Character	Exclusive
		5"	7"	Herringbone 5"	5"	7"	Herringbone 5"	5"	5"	4-1/4"	4-1/4"
		9/16" thick			9/16" thick			7/16" thick	7/16" thick	3/4" thick	3/4" thick
Colors		Lengths: 17 to 69"	Lengths: 20 to 82"	Fixed length 20"	Lengths: 17 to 69"	Lengths: 20 to 82"	Fixed length 20"	Lengths: 17 to 69"	Lengths: 17 to 69"	Lengths: 10 to 76"	Lengths: 10 to 76"
DreamVille	Aspen	56625	56641	73631	71769	71777	73623	53679	72050	52555	56068
	Bow Valley	56639	56656	73632	71775	71783	73624	56578	72051	56553	72076
	Hermosa	56626	56645	73633	71770	71778	73625	55471	72052	52556	72077
	Key Largo	56627	56647	73634	71771	71779	73626	56567	72053	52381	72078
	Loveland	56640	56657	73635	71776	71784	73627	56579	72054	56554	59364
	Morro Bay	56637	56651	73636	71773	71781	73628	56581	72055	52558	71565
	Sanibel	56628	56650	73637	71772	71780	73629	56580	72056	55629	72079
	Tofino	56638	56654	73638	71774	71782	73630	56577	72057	56551	72080

Colors	Species	Textures	Finishes	TruBalance			Classic			
				Exclusive			Exclusive			
				5"	6-1/2"	Herringbone 5"	2-1/4"	3-1/4"	4-1/4"	
				3/4" thick		Fixed length 20"	3/4" thick			
Lengths: 20 to 82"			Lengths: 10 to 76"							
Admiration	Isla	White Oak	Brushed	DuraMatt®	41548	44868	56841		44691	
	Cape Cod	Red Oak	Smooth	Cashmere®	36139	36287T	54158		35294	35296
	Charcoal		Smooth	Cashmere®	36120	31894T	54159	17901	17902	20758
	Golden		Brushed	DuraMatt®	41294	44815	54515		44686	41268
	Graphite		Smooth	Cashmere®	50425	50054	54161	15114	15224	20255
	Havana		Smooth	Cashmere®	36122	31895T	53360		19888	31879
	Hudson		Smooth	Cashmere®	36130	34591T	54162		32085	32292
	Nevada		Smooth	Cashmere®	44673	44626	54163	32681	32685	35946
	Nordic		Smooth	Cashmere®	50426	50061	54164	14181	14184	14186
	North Hatley		Smooth	Cashmere®	36368	50062	54165		35221	39122
	Platinum		Smooth	Cashmere®	46382	50515		32697	32701	35948
	Rio		Smooth	Cashmere®	37087	39431T	54166	32715	32719	35933
	Savanna		Smooth	Cashmere®	36118	34590T	54167		32339	32345
	Sierra		Brushed	DuraMatt®	41295	44816	48368		44687	41271
	Waterloo		Smooth	Cashmere®	36145	33359T	49141		21252	19859
	Canyon		Brushed	DuraMatt®	41296	44817	54516		44116	41272
	Cape Cod		Smooth	Cashmere®	36721	48881	54168	14254	14256	14257
	Charcoal		Smooth	Cashmere®	45287	50516		32703	32707	35936
	Graphite		Smooth	Cashmere®	50034	50445	54170		25208	29474
	Greystone	Smooth	Cashmere®	36115	36286T	54171		35298	35300	
Havana	Smooth	Cashmere®	36110	31928T	54172	17903	14757	16557		
Hudson	Engraved	DuraMatt®	41297	44800	54513		43182	41273		
Nevada	Smooth	Cashmere®	36117	31929T	54174		19864	22414		
Nordic	Smooth	Cashmere®	36106	31930T	54175		19930	24426		
North Hatley	Smooth	Cashmere®	36113	34596T	54176		32290	32294		
Platinum	Smooth	Cashmere®	40169	44819	54177	32759	32763	34931		
Rio	Smooth	Cashmere®	50037	50444	54178	14196	14198	14199		
Savanna	Smooth	Cashmere®	36369	50446	54179		31449	29538		
Sierra	Smooth	Cashmere®	46376	50513		32773	32777	35950		
Waterloo	Smooth	Cashmere®	36109	31931T	54180	32793	25689	26334		
	Smooth	Cashmere®	36105	34595T	54181		32337	32343		
	Engraved	DuraMatt®	41298	43217	54512		43040	41275		
	Smooth	Cashmere®	36116	33360T	54182		21476	22839		
	Engraved	DuraMatt®	41299	44818	54514		43183	41276		
	Smooth	Cashmere®	47478	50447	54183	14192	14194	14195		
	Smooth	Cashmere®	46377	50514		32779	32784	35935		
		Maple								

TruBalance Lite Technology




Real hardwood boards. Engineered for affordability.

- Real wood over a locally sourced SPF core layer
- Thickness: 9/16", suitable for 1/2" installations
- Stable 3-ply construction with 3/32" wear layer

Mirage TruBalance Lite: Meets your needs for a 1/2" installation

- Micro-V joint on all four sides of the board, prevents dust and dirt buildup.
- Each box contains assorted lengths for great look and quick installation.
- Flexible installation.
- Designed and manufactured by a wood specialist.
- An 18-gauge fastener is required for all nail or staple installations.



*Cashmere® is a registered trademark used under license.

A printed picture does not allow a perfect reproduction of samples. We suggest choosing your hardwood floor directly from a sizeable sample. For any other request, please contact our customer service department.

PRODUCT CHART KEY


Not available

Packaging Specifications

TruBalance 3/4" thick (19 mm)

Packaging		TruBalance				
		5" (127 mm)	6-1/2" (165 mm)	7-3/4" (197 mm)	Herringbone 5" (127 mm)	Chevron 5" (127 mm)
Box	Plank Lengths	20 to 82" (511 to 2,086 mm)		23 to 82" (590 to 2,086 mm)	Fixed 20" (508 mm)	Fixed 24-7/16" (620 mm)
	Content (sq. ft.)	22.70	14.75	17.60	16.67	13.60
	Width (in.)	10-1/2	7	8-1/4	10-1/2	10-1/2
	Length (in.)	85-1/2	83-1/2	83-1/2	71	61-1/4
	Height (in.)	3-1/4	3-1/4	3-1/4	3-1/4	3-1/4
Pallet	Weight (lbs)	45 > 47	29 > 31	35 > 37	33 > 35	27 > 29
	Content	Boxes: 48	72	60	48	48
	Sq. ft.	1,089.60	1,062	1,056	800.20	653
	Width (in.)	42	42	42	42-1/2	42-1/2
	Length (in.)	85-1/2	83-1/2	83-1/2	71	61-1/4
Pallet	Height (in.)	41-1/2	41-1/4	41-1/4	41-1/2	41-1/2
	Weight (lbs)	2,190 > 2,250	2,150 > 2,200	2,160 > 2,210	1,640 > 1,680	1,350 > 1,380

Recommended Installation




Recommended for every story

Relative Humidity



*Floated 30% - 60%


Installation Type



TruBalance Lite 9/16" thick (14 mm)

Packaging		TruBalance Lite		
		5" (127 mm)	7" (177 mm)	Herringbone 5" (127 mm)
Box	Plank Lengths	17 to 69" (422 to 1,752 mm)	20 to 82" (511 to 2,086 mm)	Fixed 20" (508 mm)
	Content (sq. ft.)	28.50	23.80	25
	Width (in.)	10-1/2	7-1/2	10-1/2
	Length (in.)	71	83-1/2	71
	Height (in.)	3-1/2	3-1/2	3-1/2
Pallet	Weight (lbs)	42 > 44	35 > 37	37 > 39
	Content	Boxes: 44	55	44
	Sq. ft.	1,254	1,309	1,100
	Width (in.)	42-1/2	37-3/4	42-1/2
	Length (in.)	71	83-1/2	71
Pallet	Height (in.)	42-1/4	42-1/4	42-1/4
	Weight (lbs)	1,890 > 1,950	1,980 > 2,040	1,660 > 1,720

Recommended Installation



Recommended for every story

Relative Humidity



*Floated 30% - 60%

Installation Type



Engineered 1/2" thick (13 mm)


Packaging		Engineered
		5" (127 mm)
Box	Plank Lengths	20 to 82" (511 to 2,086 mm)
	Content (sq. ft.)	34.10
	Width (in.)	10-1/2
	Length (in.)	83-1/2
	Height (in.)	3-1/4
Pallet	Weight (lbs)	63 > 66
	Content	Boxes: 32
	Sq. ft.	1,091.20
	Width (in.)	42
	Length (in.)	83-1/2
Pallet	Height (in.)	29-3/4
	Weight (lbs)	2,050 > 2,140

Recommended Installation



Recommended for every story

Relative Humidity



Installation Type



Lock 7/16" thick (11 mm)


Packaging		Lock
		5" (125 mm)
Box	Plank Lengths	17 to 69" (422 to 1,752 mm)
	Content (sq. ft.)	32.60
	Width (in.)	10-3/4
	Length (in.)	71
	Height (in.)	3-1/4
Pallet	Weight (lbs)	59 > 61
	Content	Boxes: 36
	Sq. ft.	1,173.60
	Width (in.)	42-3/4
	Length (in.)	71
Pallet	Height (in.)	32-1/4
	Weight (lbs)	2,160 > 2,200

Recommended Installation




Recommended for every story

Relative Humidity



Installation Type




Classic 3/4" thick (19 mm)

Packaging		Classic		
		2-1/4" (57 mm)	3-1/4" (83 mm)	4-1/4" (108 mm)
Box	Plank Lengths	10 to 76" (250 to 1,930 mm)		
	Content (sq. ft.)	20	20	18
	Width (in.)	9-1/2	10-1/4	9
	Length (in.)	86	79-1/2	85-1/2
	Height (in.)	3-1/4	3-1/4	3-1/4
Pallet	Weight (lbs)	51 > 59	51 > 59	46 > 53
	Content	Boxes: 48	48	48
	Sq. ft.	960	960	864
	Width (in.)	38-1/4	42	37
	Length (in.)	86	79-1/2	85-1/2
Pallet	Height (in.)	42	42	42
	Weight (lbs)	2,500 > 2,850	2,500 > 2,840	2,230 > 2,540

Recommended Installation



Relative Humidity



Installation Type

